

**National Health and Nutrition
Examination Survey 2005–2006**

**Documentation, Codebook,
and Frequencies**

Respiratory Disease

Questionnaire

**Survey Years:
2005 to 2006**

**SAS Transport File:
RDQ_D.XPT**



December 2007

NHANES 2005–2006 Data Documentation

Questionnaire Section: Respiratory Disease (RDQ_D)

First Published: December 2007

Last Revised: NA

Component Description

The Respiratory Disease Section (prefix RDQ) provides interview data for respiratory symptoms that may be related to bronchitis or asthma. The symptoms profiled include cough, phlegm production, and wheezing. Data is also collected on trigger factors for these symptoms, for medical treatment and for related functional impairments.

Topics:

- History Cough and Phlegm Production (RDQ031-RDQ060)

12 Month Period Prevalence of:

- Wheezing (RDQ070)
- Frequency of Wheezing Episodes (RDQ080)
- Sleep Disturbance Due to Wheezing (RDQ090)
- Wheezing With Exercise (RDQ100)
- Number of Doctor, Hospital or Emergency Room Visits for Wheezing (RDQ120)
- Prescription Medication Taken For Wheezing (RDQ134)
- Limitation of Usual Activities Due to Wheezing (RDQ135)
- Number of Days of Work/School Missed Due to Wheezing (RDQ137)
- Dry Nocturnal Cough (RDQ140)

Eligible Sample

Questions regarding a history of cough and phlegm production were administered to Survey Participants ages 40 years and above, except for RDQ140 (History of Dry Nocturnal Cough) which was administered to Survey Participants 1+ years.

Questions regarding a history of wheezing were administered to Survey Participants ages 1+ years, except for RDQ137, which was administered to Survey Participants ages 6 to 69 years. The question series RDQ120 through RDQ137 was administered to all participants with a history of wheezing.

**Interview
Setting and
Mode of
Administration**

These questions were asked before the physical examination, in the home, using the Computer-Assisted Personal Interviewing-CAPI (interviewer administered) system.

The Interviewer Procedure Manual and the text document for the NHANES 2005-2006 RDQ survey questionnaire are available on the NHANES website.

**Quality
Assurance &
Quality
Control**

For details on the QA/QC process for this component, please refer to the Interviewer Procedure Manual.

**Data
Processing
and Editing**

Data editing is documented in the RDQ Section Codebook.

**Analytic
Notes**

These data were collected as part of the NHANES Household Questionnaire Interview. NHANES Household Interview weights should be used if only questionnaire data is analyzed. However, if RDQ questionnaire data is merged with the MEC examination data, then NHANES MEC examination sample weights should be used for the analyses.

Current NHANES questionnaire data collection relating to respiratory symptoms is based on prior NHANES surveys as well as validated survey instruments. It is recommended that data analysts be familiar with current practice and issues in the epidemiologic investigation of respiratory disease.^{1,2,3,4}

Related NHANES 2001-2002 Questionnaire Datasets:

Medical Conditions (MCQ) contains questionnaire data on a history of a previous medical diagnosis of respiratory disease (asthma, chronic bronchitis, emphysema), age at onset of disease, and family history of asthma.

Physical Functioning (PFQ) contains data on functional physical limitations as well information on the type of health problems (including respiratory disease) causing the difficulty.

Cardiovascular Disease (CDQ) contains data for dyspnea (shortness of breath) on exertion for adults ages 40+.

Smoking (SMQ) contains data on past history of smoking.

Occupation (OCQ) includes data on current and longest occupation, as well as identification of a Survey Participants exposure to second-hand smoke in their current job (OCQ290G/Q).

Prescription Medications (RXQ) contains data on all prescription medications currently taken.

Please refer to the NHANES Analytic Guidelines for further details on the use of sample weights and other analytic issues. The Analytic Guidelines are available on the NHANES website.

References

1. Pierce N, Beasley R, Burgess C, Crane J. Asthma Epidemiology: Principles and Methods. 1998. New York: Oxford University Press.
2. Halbert RJ, Isonaka S, George D, Iqbal A. Interpreting COPD prevalence estimates: what is the true burden of disease? Chest. 2005; 123:1684-92.
3. Celli BR, Halbert RJ, Isonaka S, Schau B. Population impact of different definitions of airway obstruction. Eur Respir J. 2005; 22:268-73.
4. Pauwels RA, Buist AS, Calverley PM, Jenkins CR, Hurd SS; GOLD Scientific Committee. Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease. NHLBI/WHO Global Initiative for Chronic Obstructive Lung Disease (GOLD) Workshop summary. Am J Respir Crit Care Med. 2001; 163:1256-76.

NCHS Locator Fields

Title: Respiratory Disease (RDQ_D)

Contact Number: 1-866-441-NCHS

Years of Content: 2005–2006

First Published: December 2007

Revised: NA

Access Constraints: None

Use Constraints: None

Geographic Coverage: National

Subject: NHANES respiratory disease symptom questionnaire data, including bronchitis, asthma, coughing and wheezing

Record Source: NHANES 2005–2006

Survey Methodology: NHANES 2005–2006 is a stratified multistage probability sample of the civilian non-institutionalized population of the U.S.

Medium: NHANES Web site; Sybase relational database, SAS datasets

**National Health and Nutrition Examination Survey
Codebook for Data Production (2005-2006)**

**Questionnaire Section:
Respiratory Disease (RDQ_D)**

December 2007



| | |
|--|----------------------------|
| SEQN | Target |
| | B(1 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label |
| | Respondent sequence number |
| English Text: Respondent sequence number. | |
| English Instructions: | |

| | |
|--|-----------------------|
| RDQ005A | Target |
| | B(1 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label |
| | CHECK ITEM |
| English Text: CHECK ITEM | |
| English Instructions: IF AGE < 40 YEARS, GO TO RDQ070. OTHERWISE, CONTINUE. | |

| | |
|--|---------------------------------------|
| RDQ031 | Target |
| | B(40 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label |
| | Coughing most days - over 3 mo period |
| English Text: {Do you/Does SP} usually cough on most days for 3 consecutive months or more during the year? | |
| English Instructions: | |

| Code or Value | Description | Count | Cumulative | Skip to Item |
|---------------|-------------|-------|------------|--------------|
| 1 | Yes | 353 | 353 | |
| 2 | No | 2697 | 3050 | RDQ050 |
| 7 | Refused | 0 | 3050 | RDQ050 |
| 9 | Don't know | 5 | 3055 | RDQ050 |
| . | Missing | 6767 | 9822 | |

| RDD040 | Target | | | |
|--|---------------------------|--------------|-------------------|---------------------|
| | B(40 Yrs. to 150 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | # years had cough problem | | | |
| English Text: For how many years {have you/has SP} had this cough? | | | | |
| English Instructions: ENTER NUMBER OF YEARS. IF LESS THAN 1 YEAR, ENTER 1; IF 70 OR MORE YEARS ENTER 70 | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 to 65 | Range of Values | 337 | 337 | |
| 70 | 70 or more | 2 | 339 | |
| 77777 | Refused | 0 | 339 | |
| 99999 | Don't know | 14 | 353 | |
| . | Missing | 9469 | 9822 | |

| RDQ050 | Target | | | |
|--|---|--------------|-------------------|---------------------|
| | B(40 Yrs. to 150 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Bring up phlegm most days - 3 mo period | | | |
| English Text: {Do you/Does SP} bring up phlegm on most days for 3 consecutive months or more during the year? | | | | |
| English Instructions: | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 329 | 329 | |
| 2 | No | 2722 | 3051 | RDQ070 |
| 7 | Refused | 0 | 3051 | RDQ070 |
| 9 | Don't know | 4 | 3055 | RDQ070 |
| . | Missing | 6767 | 9822 | |

| RDD060 | Target | | | |
|--|------------------------------------|--------------|-------------------|---------------------|
| | B(40 Yrs. to 150 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | # years bringing up phlegm problem | | | |
| English Text: For how many years, {have you/has SP} had trouble with phlegm? | | | | |
| English Instructions: ENTER NUMBER OF YEARS. IF LESS THAN 1 YEAR, ENTER 1; IF 70 OR MORE YEARS ENTER 70 | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 to 65 | Range of Values | 319 | 319 | |
| 70 | 70 or more | 2 | 321 | |
| 77777 | Refused | 0 | 321 | |
| 99999 | Don't know | 8 | 329 | |
| . | Missing | 9493 | 9822 | |

| RDQ070 | Target | | | |
|---|--|--------------|-------------------|---------------------|
| | B(1 Yrs. to 150 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Wheezing or whistling in chest - past yr | | | |
| English Text: In the past 12 months {have you/has SP} had wheezing or whistling in {your/his/her} chest? | | | | |
| English Instructions: | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 1330 | 1330 | |
| 2 | No | 8486 | 9816 | RDQ140 |
| 7 | Refused | 0 | 9816 | RDQ140 |
| 9 | Don't know | 6 | 9822 | RDQ140 |
| . | Missing | 0 | 9822 | |

| RDQ080 | | Target | | |
|--|-----------------|--|------------|--------------|
| | | B(1 Yrs. to 150 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| 1 to 12 | | # wheezing/whistling attacks past year | | |
| English Text: [In the past 12 months], how many attacks of wheezing or whistling {have you/has SP} had? | | | | |
| English Instructions: IF 12 OR MORE EPISODES, ENTER 12; ENTER NUMBER OF EPISODES. | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 to 12 | Range of Values | 1304 | 1304 | |
| 7777 | Refused | 0 | 1304 | |
| 9999 | Don't know | 26 | 1330 | |
| . | Missing | 8492 | 9822 | |

| RDQ090 | | Target | | |
|---|-------------------------------|-------------------------------------|------------|--------------|
| | | B(1 Yrs. to 150 Yrs.) | | |
| Hard Edits | | SAS Label | | |
| | | Wheezing disturb sleep in past year | | |
| English Text: [In the past 12 months], how often, on average, has {your/SP's} sleep been disturbed because of wheezing? Would you say this happens . . . | | | | |
| English Instructions: | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 | Never, | 634 | 634 | |
| 1 | 1 or more nights per week, or | 328 | 962 | |
| 2 | Less than 1 night per week? | 367 | 1329 | |
| 7 | Refused | 0 | 1329 | |
| 9 | Don't know | 1 | 1330 | |
| . | Missing | 8492 | 9822 | |

| RDQ100 | Target | | | |
|---|------------------------------------|--------------|-------------------|---------------------|
| | B(1 Yrs. to 150 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Chest sound wheezy during exercise | | | |
| English Text: [In the past 12 months], has {your/SP's} chest sounded wheezy during or after exercise or physical activity? | | | | |
| English Instructions: | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 650 | 650 | |
| 2 | No | 674 | 1324 | |
| 7 | Refused | 0 | 1324 | |
| 9 | Don't know | 6 | 1330 | |
| . | Missing | 8492 | 9822 | |

| RDD120 | Target | | | |
|--|---|--------------|-------------------|---------------------|
| | B(1 Yrs. to 150 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Got medical attentn for wheezing attack | | | |
| English Text: [In the past 12 months], how many times {have you/has SP} gone to the doctor's office or the hospital emergency room for one or more of these attacks of wheezing or whistling? | | | | |
| English Instructions: ENTER NUMBER. IF NEVER, ENTER 0;IF 20 OR MORE MONTHS ENTER 20. | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 to 18 | Range of Values | 1328 | 1328 | |
| 20 | 20 or more | 2 | 1330 | |
| 7777 | Refused | 0 | 1330 | |
| 9999 | Don't know | 0 | 1330 | |
| . | Missing | 8492 | 9822 | |

| RDQ134 | Target | | | |
|--|--------------------------------------|--------------|-------------------|---------------------|
| | B(1 Yrs. to 150 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Doctor prescribe wheezing medication | | | |
| English Text: (In the past 12 months), (have you/has SP) taken medication, prescribed by a doctor, for wheezing or whistling? | | | | |
| English Instructions: | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 824 | 824 | |
| 2 | No | 505 | 1329 | |
| 7 | Refused | 0 | 1329 | |
| 9 | Don't know | 1 | 1330 | |
| . | Missing | 8492 | 9822 | |

| RDQ135 | Target | | | |
|--|--|--------------|-------------------|---------------------|
| | B(1 Yrs. to 150 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Limit usual activities due to wheezing | | | |
| English Text: During the past 12 months, how much did {you/SP} limit {your/his/her} usual activities due to wheezing or whistling? Would you say... | | | | |
| English Instructions: | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Not at all, | 778 | 778 | |
| 2 | A little, | 329 | 1107 | |
| 3 | A fair amount, | 110 | 1217 | |
| 4 | A moderate amount, or | 47 | 1264 | |
| 5 | A lot? | 66 | 1330 | |
| 7 | Refused | 0 | 1330 | |
| 9 | Don't know | 0 | 1330 | |
| . | Missing | 8492 | 9822 | |

| | |
|--|-----------------------|
| RDQ136 | Target |
| | B(1 Yrs. to 150 Yrs.) |
| Hard Edits | SAS Label |
| | CHECK ITEM |
| English Text: CHECK ITEM | |
| English Instructions: BOX 4. CHECK ITEM RDQ136: IF AGE BETWEEN 6 AND 69 YEARS THEN CONTINUE. OTHERWISE, GO TO RDQ140. | |

| RDQ137 | Target | | | |
|---|-------------------------------------|--------------|-------------------|---------------------|
| | B(6 Yrs. to 69 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Miss work or school due to wheezing | | | |
| English Text: During the past 12 months, how many days of work or school did {you/SP} miss due to wheezing or whistling? | | | | |
| English Instructions: | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 0 | None | 728 | 728 | |
| 1 | 1 to 7 | 214 | 942 | |
| 2 | 8 to 30 | 42 | 984 | |
| 3 | 31 plus | 9 | 993 | |
| 7 | Refused | 0 | 993 | |
| 9 | Don't know | 0 | 993 | |
| . | Missing | 8829 | 9822 | |

| RDQ140 | Target | | | |
|--|-------------------------------------|--------------|-------------------|---------------------|
| | B(1 Yrs. to 150 Yrs.) | | | |
| Hard Edits | SAS Label | | | |
| | Had dry cough at night in past year | | | |
| English Text: [In the past 12 months], {have you/has SP} had a dry cough at night not counting a cough associated with a cold or chest infection lasting 14 days or more? | | | | |
| English Instructions: | | | | |
| Code or Value | Description | Count | Cumulative | Skip to Item |
| 1 | Yes | 431 | 431 | |
| 2 | No | 9387 | 9818 | |
| 7 | Refused | 0 | 9818 | |
| 9 | Don't know | 4 | 9822 | |
| . | Missing | 0 | 9822 | |